


MOULDED OGEE GUTTERING SYSTEM *(small)*

STANDARD GUTTER LENGTHS

GUTTER (mm)	3m	1.8m	A (mm)	B (mm)	C (mm)	D (mm)	MATERIAL THICKNESS
100 x 75	MOG1/1	MOG1/2	100	80	75	67	2.25
125 x 100	MOG2/1	MOG2/2	125	105	100	84	2.5
150 x 100	MOG3/1	MOG3/2	150	110	100	100	3

Wider or deeper gutters manufactured to size required.



STOPENDS

GUTTER (mm)	R/H STOPEND	L/H STOPEND
100 x 75	MOG1/10	MOG1/11
125 x 100	MOG2/10	MOG2/11
150 x 100	MOG3/10	MOG3/11



Internal Stopend

For further information contact Gutter Centre on 0330 2231731

Email: sales@guttercentre.co.uk Web: www.guttercentre.co.uk

MOULDED OGEE GUTTERING SYSTEM (large)

STANDARD GUTTER LENGTHS

GUTTER (mm)	3m	1.5m	A (mm)	B (mm)	C (mm)	D (mm)	MATERIAL THICKNESS
175 x 125	MOG4/1	MOG4/2	175	135	125	115	2
200 x 150	MOG5/1	MOG5/2	200	160	150	125	2
300 x 200	MOG6/1	MOG6/2	300	220	200	200	2

Wider or deeper gutters manufactured to size required.



STOPENDS

GUTTER (mm)	R/H STOPEND	L/H STOPEND
175 x 125	MOG4/10	MOG4/11
200 x 150	MOG5/10	MOG5/11
300 x 200	MOG6/10	MOG6/11



Internal Stopend

BRACKETS

We recommend that gutters of this size should be directly fixed & not bracketed.

Please contact our technical department for brackets to suit these gutters. In any instance we advise against the use of Top Rafter Brackets.

For further information contact Gutter Centre on 0330 2231731

Email: sales@guttercentre.co.uk Web: www.guttercentre.co.uk


MOULDED OGEE GUTTERING SYSTEM *(small)*

OUTLETS

ROUND					
GUTTER (mm)	63 Ø	75 Ø	100 Ø	125 Ø	150 Ø
100 x 75	MOG1/13	MOG1/14	-	-	-
125 x 100	MOG2/13*	MOG2/14	MOG2/15	-	-
150 x 100	MOG3/13*	MOG3/14*	MOG3/15	MOG3/16	-

SQUARE AND RECTANGULAR						
GUTTER (mm)	75 x 50	75 x 75	100 x 75	100 x 100	150 x 100	150 x 150
100 x 75	MOG1/18	MOG1/19	MOG1/20	-	-	-
125 x 100	MOG2/18*	MOG2/19	MOG2/20	MOG2/21	MOG2/22	-
150 x 100	MOG3/18*	MOG3/19*	MOG3/20*	MOG3/21	MOG3/22	-

* Indicates a sleeve outlet can be used in place of running outlets giving increased flexibility and cost efficiency.




ANGLES - INTERNAL & EXTERNAL

90° EXTERNAL				90° INTERNAL				135° EXTERNAL				135° INTERNAL			
Gutter (mm)		A (mm)	B (mm)		A (mm)	B (mm)		A (mm)	B (mm)		A (mm)	B (mm)	A (mm)	B (mm)	
100 x 75	MOG1/3	35	135	MOG1/4	135	35	MOG1/5	35	75	MOG1/6	75	35			
125 x 100	MOG2/3	35	160	MOG2/4	160	35	MOG2/5	35	85	MOG2/6	85	35			
150 x 100	MOG3/3	35	185	MOG3/4	185	35	MOG3/5	35	95	MOG3/6	95	35			

IRREGULAR ANGLE		
GUTTER (mm)	EXTERNAL	INTERNAL
100 x 75	MOG1/7	MOG1/8
125 x 100	MOG2/7	MOG2/8
150 x 100	MOG3/7	MOG3/8

When ordering an irregular angle, state ref no. and actual fascia angle & note that A+B lengths vary subject to angle.



For further information contact Gutter Centre on 0330 2231731

Email: sales@guttercentre.co.uk Web: www.guttercentre.co.uk

MOULDED OGEE GUTTERING SYSTEM (large)

OUTLETS


ROUND					
GUTTER (mm)	63 Ø	75 Ø	100 Ø	125 Ø	150 Ø
175 x 125	MOG4/13*	MOG4/14*	MOG4/15*	MOG4/16	MOG4/17
200 x 150	MOG5/13*	MOG5/14*	MOG5/15*	MOG5/16*	MOG5/17
300 x 200	MOG6/13*	MOG6/14*	MOG6/15*	MOG6/16*	MOG6/17*

SQUARE AND RECTANGULAR						
GUTTER (mm)	75 x 50	75 x 75	100 x 75	100 x 100	150 x 100	150 x 1
175 x 125	MOG4/18*	MOG4/19*	MOG4/20*	MOG4/21*	MOG4/22	MOG4/23
200 x 150	MOG5/18*	MOG5/19*	MOG5/20*	MOG5/21*	MOG5/22*	MOG5/23
300 x 200	MOG6/18*	MOG6/19*	MOG6/20*	MOG6/21*	MOG6/22*	MOG6/23*


* Indicates a sleeve outlet can be used in place of running outlets giving increased flexibility and cost efficiency.



Sleeve Outlet



* 300 for outlets over 100




ANGLES - INTERNAL AND EXTERNAL

90° EXTERNAL				90° INTERNAL				135° EXTERNAL				135° INTERNAL			
Gutter (mm)	A (mm)	B (mm)		A (mm)	B (mm)			A (mm)	B (mm)			A (mm)	B (mm)		
175 x 125	MOG4/3	150	325	MOG4/4	325	150		MOG4/5	150	210		MOG4/6	210	150	
200 x 150	MOG5/3	150	350	MOG5/4	350	150		MOG5/5	150	230		MOG5/6	230	150	
300 x 200	MOG6/3	150	450	MOG6/4	450	150		MOG6/5	150	275		MOG6/6	275	150	

IRREGULAR ANGLE		
GUTTER (mm)	EXTERNAL	INTERNAL
175 x 125	MOG4/7	MOG4/8
200 x 150	MOG5/7	MOG5/8
300 x 200	MOG6/7	MOG6/8

When ordering an irregular angle, state ref no. and actual fascia angle & note that A+B lengths vary subject to angle.



Internal Angle

For further information contact Gutter Centre on 0330 2231731

Email: sales@guttercentre.co.uk Web: www.guttercentre.co.uk