

# Linearis Shower Floor Channels & Outlets - Product Tables


## Linearis Invisible, Oval and Geo Shower Floor Outlets

All 3 gully drain options are fully adjustable through a 360° rotation for convenient installation. The Invisible gully can also be tiled to match the surrounding floor tiling. The gullies can be adjusted to accommodate different tile thicknesses ranging from 8-20mm.

The gullies are supplied complete with a Classic 50mm diameter outlet horizontal drain body as standard. Other drain bodies are available - see tables on page 171.

Various accessories are also available for all 3 gully types - see page 172.


### Linearis Invisible



Fitted with Classic 50mm outlet horizontal drain body as standard

Outlet Size (mm)	Materials	a (mm)	b (mm)	Load Class (to EN 1253)	Flow Rate (l/s)	Weight (kg)	Product Code
50	ABS with stainless steel rim	133-190	312	K3	0.9	1.2	40150.55


### Linearis Oval



Fitted with Classic 50mm outlet horizontal drain body as standard

Outlet Size (mm)	Materials	a (mm)	b (mm)	Load Class (to EN 1253)	Flow Rate (l/s)	Weight (kg)	Product Code
50	ABS with brushed stainless steel cover	133-190	312	K3	0.9	1.2	40150.54

### Linearis Geo



Fitted with Classic 50mm outlet horizontal drain body as standard

Outlet Size (mm)	Materials	a (mm)	b (mm)	Load Class (to EN 1253)	Flow Rate (l/s)	Weight (kg)	Product Code
50	ABS with brushed stainless steel cover	133-190	312	K3	0.9	1.2	40150.53

# Linearis Shower Floor Channels & Outlets - Product Tables

## Linearis Classic, Practicus, Superflat and Ultraflat Drain Bodies



Classic and Superflat drain bodies are used to form Slimline 40, Invisible, Oval or Geo assemblies.

Practicus and Ultraflat drain bodies are used to form Slimline 60 assemblies.





The 50mm water seal (Classic and Practicus) conforms to EN 1253.

The 30mm water seal option (Superflat and Ultraflat) is for restricted depth applications.



### Linearis Classic

			
50 horizontal	a b c	50 vertical	a b
Outlet Size (mm)	Materials	a (mm)	b (mm)
50 horizontal	ABS	129	90
50 vertical	ABS	129	135
		c (mm)	Water Trap (mm)
		184	50
		—	50
		Weight (kg)	Product Code
		0.2	40150
		0.2	40250

### Linearis Practicus

			
50 horizontal	a b c	50 vertical	a b
			
100 horizontal	a b c	100 vertical	a b
Outlet Size (mm)	Materials	a (mm)	b (mm)
50 horizontal	Polypropylene	150	132
50 vertical	Polypropylene	150	192
100 horizontal	Polypropylene	150	132
100 vertical	Polypropylene	150	153
		c (mm)	Water Trap (mm)
		313	50
		—	50
		215	50
		—	50
		0.8	45150
		0.8	45250
		0.8	45110
		0.8	45210

### Linearis Superflat and Ultraflat

			
Superflat	a b c	Ultraflat	a b c
Body Type	Outlet Size (mm)	Materials	a (mm)
Superflat	50 horizontal	Polypropylene	129
Ultraflat	50 horizontal	ABS	150
			b (mm)
			80
			69
			c (mm)
			194.5
			227
			Water Trap (mm)
			30
			30
			Weight (kg)
			0.2
			0.3
			42701
			45700

# Linearis Shower Floor Channels & Outlets - Accessories and Maintenance

## Miscellaneous Accessories for Channels and Outlets

A range of accessories is available for use with all the Linearis shower channel and outlet systems.

Whilst optional, the accessories are recommended to ensure maximum performance efficiency.

The Sealing Flange is used when there is a requirement for an additional waterproofing membrane under a concrete screed.

The Hair Filter is an effective method of preventing hair build-up.

The Multistop prevents the potential problems of odour, insects and foam build-up.

## Accessories



Accessory Type	Material	Product Code	
		For Slimline 40, Invisible, Oval, Geo	For Slimline 60
Sealing Flange	ABS	43401	48401
Hair Filter	Polypropylene	43700	48700
Multistop	Polypropylene	43500	48500

## Maintenance Access

Maintenance is made easy when using the Linearis range because of the incorporation of integral access methods:

- Slimline 40 and Slimline 60 Shower Channels have lockable covers.
- The Invisible Shower Gully has a lockable cover.
- Oval and Geo Shower Gullies both feature a Lock & Lift System.

